WELDING JOURNAL INDEX

VOLUME 41—1962

PUBLISHED BY THE AMERICAN WELDING SOCIETY, 345 EAST 47TH STREET, NEW YORK 17, N.Y.

Welding Journal

This part includes general technical articles, papers presented before Section and National meetings, articles for the Practical Welder and Designer, news, biographical items, current welding literature and advertising.

Page allocation by issues

January	1– 98	July	631–700
February	99–196	August	701–786
March	197–298	September	787–888
April	299–428	October	889–976
May	429–528	November	977–1078
June	529–630	December	1079–1180

Welding Research Supplement

This section includes the reports of the Welding Research Council, critical digests of the literature, reports of the Project Committees and research reports of industry.

Page allocation by issues

January	1-s–48s	July	289-s–336-s
February	49-s–96-s	August	337-s–384-s
March	97-s–144-s	September	385-s–432-s
April	145-s–192-s	October	433-s–480-s
May	193-s–240-s	November	481-s–528-s
June	241-s–288-s	December	529-s–568-s

WELDING JOURNAL

SUBJECT INDEX

Aerospace Applications, Brazing Beryllium for—C. L. CLINE and R. A. O'NEILL, 1098–1106.

*Air Terminal Features Welded Framing for Concrete, 243.

Aircraft Materials and Components, Electron Beam Welding of—H. A. HOKANSON and J. W. MEIER, 999–1008.

Alloys, High, for Top Temperature Service—R. P. CULBERTSON, 441–452.

Aluminum Alloy Wire for Gas Metal-Arc Welding, Manufacturing and Processing of—T. D. NAST, 1091–1097.

Aluminum, Gas Metal-Arc Spot Welding—R. A. STOEHR, 815–821.

*Aluminum Pulls Out the Stops—M. C. SNYDER and J. A. WENDEL, 741.

Aluminum, The R-260 Alloy Bonding Process for Joining—J. R. TERRILL, 799–804.

Applying All the Rules of Resistance Welding with Automatic Control—CHARLES F. PAXTON and RICHARD ZELLER, 556–562.

*Arc-Air Grooving Cuts Costs of Dismantling Power Plant, 832.

*Arc Welded Axle Housing—J. B. QUIGLEY, 471–474.

Arc Welded Design Saves $2000 on Vertical Edging Mill—WILLIAM S. MCGEENEY, 916–918.

*At the Base of a Brain, 568.

Automatic Pipe Welding—ROGER W. TUTHILL, 111–114.

Automatic "Stove-Pipe" Welding Comes to the Pipeline—B. V. ELLIOTT, W. B. HANDWERK and H. B. CARY, 219–226.

*Automatic Welding Bar Brackets on Link Chain, 923–924.

*Bending Press Returned to Service for 1% of Replacement Cost—J. F. DONNELLY, 1125–1126.

Beryllium, Brazing for Aerospace Applications—C. L. CLINE and R. A. O'NEILL, 1098–1106.

Beryllium, How to Fusion Weld—B. M. MACPHERSON and W. W. BEAVER, 327–330.

Beryllium Sheet, Resistance Spot Welding—HERBERT A. JAHNLE, 331–336.

Boiler Fabrication, Magnetic-Flux Gas-Shielded-Arc Welding in—F. W. ARMSTRONG, 30–34.

Boiler and Nuclear Components, New Developments in Gas Shielded Arc Welding of—F. W. ARMSTRONG, 713–718.

Brazed, Joint Strength in High Temperature Applications, Factors Affecting—FORBES MILLER, 910–915.

Brazing Beryllium for Aerospace Applications—C. L. CLINE and R. A. O'NEILL, 1098–1106.

Brazing of Graphite, The—R. G. DONNELLY and G. M. SLAUGHTER, 461–469.

*Brazing Cuts Assembly Weight and Reduces Costs, 37.

*Brazing a 63-Blade Missile Turbine Rotor Assembly, 569.

*Con Edison Vernon Substation—TULON TURNBOW and JACK F. DONNELLY, 920.

*Commuting in Comfort—J. MCCARTNEY and W. C. LEVERING, 470–471.

Continuous Electrode Welding in the Construction Equipment Industry—KENNETH E. RICHTER, 643–648.

Crack-Resistant Weld Overlays for Reclaiming Pulp

* A Practical Welder and Designer article.

Digesters—P. E. LeGrand and C. E. Witherell, 1107–1114.

Development of Continuous Beam Welding Equipment Broadens Application of Fabricated Members—Charles A. Zwissler, 735–740.
Dip Transfer Welding of High Pressure Pipe—W. W. Walker, 24–29.

Efficient Use of Steel in Multi-Story Structures, The—Omer W. Blodgett, 209–218.
Electric Monitored Resistance Welding Control, Evaluation of—W. A. Grant, 563–567.
Electrodes, Lime Coated vs. Titania-Coated Stainless Steel—B. S. Payne, Jr., G. J. Dormer and L. R. Haslip, 115–127.
Electron Beam Welding of Aircraft Materials and Components—H. A. Hokanson and J. W. Meier, 999–1003.
Electron Beam Welding Machines, New Developments in—J. L. Solomon, 719–727.
Electroslag Welding of Very Thick Material—B. E. Paton, 1115–1123.
Electroslag Welding, Western European Techniques in—F. G. Danhier, 17–23.
Evaluation of Electronic-Monitored Resistance Welding Control—W. A. Grant, 563–567.

Fabrication of a Titanium Tank Cupola—P. W. Rolston, G. D. Chandely and C. M. Adams, Jr., 128–134.
Factors Affecting Brazed Joint Strength in High Temperature Applications—Forbes Miller, 910–915.
*55-Ton Box Girder Welded in Shop, 569.
*Flame Hardening Provides Greater Economy and Process Efficiency, 1019—1020.
*Flame with a Past Builds for the Future—C. R. Strutz, 338–339.
Flash Welding—The Process and Applications—Warren F. Savage, 227–237.
Forged Cylinder Head Retainer Replaced by "Electro-Molded" Weldment—R. L. Peterson, 1014–1018.
Fusion Welding of Railed Skin Panels for R-70 Triple Sonic Plane—Harlan L. Meredith, 822–831.

Gas Metal-Arc Spot Welding of Aluminum—R. A. Stoehr, 815–821.
*Gas Metal-Arc Spot Welds Hold Shut, 834.
Gas Metal-Arc Welding of Concrete Reinforcing Bars—H. B. Cary and G. Crawmer, 989–998.
Gas Metal-Arc Welding, Manufacturing and Processing of Aluminum Alloy Wire for—T. D. Nast, 1091–1097.
Graphite, The Brazing of—R. G. Donnelly and G. M. Slaughter, 461–469.
*Grinder, Service Life Up 100% for Big Rim Discharge Rock, 475.
*Grinders Solve "Tight Spot" Jobs, Small Wheel, 474–475.

*Hidden Reels Handle Gas Hose Lines in New Building, 38–39.
High Alloys for Top Temperature Service—R. P. Culbertson, 441–452.
Hose for Oxygen Cutting Processes—P. Hopkins and E. Meincke, 905–909.
How to Fusion Weld Beryllium—B. M. MacPherson and W. W. Beaver, 327–330.

Inspection of Welds and Materials in Service—Dwight J. Evans, 135–139.

*Jet-Fast Airstrips, 244.

Lime Coated vs. Titania-Coated Stainless Steel Electrodes—B. S. Payne, Jr., G. J. Dormer and L. R. Haslip, 115–127.
Logical Testing Procedures for Operators Welding Sub-Critical Pipe—H. A. Sosnin, 457–460.
*Low-Heat Welding Simplifies and Speeds Crankshaft Rebuilding, 341–342.

Magnetic-Flux Gas Shielded-Arc Welding in Boiler Fabrication—F. W. Armstrong, 30–34.
Manufacturing and Processing of Aluminum Alloy Wire for Gas Metal-Arc Welding—T. D. Nast, 1091–1097.
Multi-Welded Fuel Tank for USAF GAM-77 Missile—D. J. Logan and W. G. White, 311–320.

*New CO_2 Welding System Boosts Production, 661–662.
New Developments in Electron Beam Welding Machines—J. L. Solomon, 719–727.
New Developments in Gas Shielded-Arc Welding of Boiler and Nuclear Components—F. W. Armstrong, 713–718.
New Developments in Gas Shielding—E. F. Gorman, 728–734.
New Method of Controlled Concurrent Pipe Heating, A—G. G. Vest, 655–659.
*96-Ton Girder Weldment in Cradle, 662.

Oxygen Cutting Processes, Hose for—P. Hopkins and E. Meincke, 905–909.

Pipe, Dip Transfer Welding of High Pressure—W. W. Walker, 24–29.
Pipe Heating, A New Method of Controlled Concurrent—G. G. Vest, 655–659.
Pipe Welding, Automatic—Roger W. Tuthill, 111–114.
Pipeline, Automatic "Stove-Pipe" Welding Comes to the—B. V. Elliott, W. B. Handwerk and H. B. Cary, 219–226.
*Pipeline Flexes Its Muscles—Frank Birong and Web Purcell, 743–744.
Pipeline, Standardized, Welding Procedures—Robert R. Wright, 321–326.
Plasma Arc Weld Surfacing—R. S. Zuchowski and R. P. Culbertson, 548–555.
*Powerful Air Compressor Is as Strong as Its Solder, 1020.
*Precise Welding Simplifies Fabrication of Spheres for Cryogenic Testing, 660–661.
Precision Positioning Controls for Welding Saturn Space Vehicles—W. M. McCampbell and H. N. Nance, 1009–1013.
Process and Economics, Thermal-Air Cutting—J. A. Browning, 453–456.
Production Shape Cutting Without Templates—K. J. Altorfer, 649–654.

R-260 Alloy Bonding Process for Joining Aluminum, The—James R. Terrill, 799–804.
*Reclaimed Dry Cleaner Drum Shafts Last Five Times Longer, 337–338.
Reinforcing Bars, Gas Metal-Arc Welding of Concrete—H. B. Cary and G. Crawmer, 989–998.
Resistance Spot Welding Beryllium Sheet—Herbert A. Jahnle, 331–336.
Resistance Welding with Automatic Control, Applying All the Rules of—Charles F. Paxton and Richard Zeller, 556–562.

*Service Life Up 100% for Big Rim Discharge Rock Grinder, 475.
*Small Wheel Grinders Solve "Tight Spot" Jobs, 474–475.
*Solder, Powerful Air Compressor Is as Strong as Its, 1020.
Space Vehicles, Precision Positioning Controls for Welding Saturn—W. M. McCampbell and H. N. Nance, 1009–1013.
*Sprayed Hard Facings Cut Costs of Many Products, 39.
Standardized Pipeline Welding Procedures—Robert R. Wright, 321–326.
*Stud Welding Lowers Roof Joints Fabrication Costs, 923.
*Squeeze on Space, The—H. C. Steir and A. J. Westendorf, 140–141.
*Surfacing Cuts Feed Screw Maintenance by 97%, 919.
Surfacing, Plasma Arc Weld—R. S. Zuchowski and R. P. Culbertson, 548–555.

Testing, Logical Procedures for Operators Welding Small Sub-Critical Pipe—H. A. Sosnin, 457–460.
*Thanks to Tanks—D. J. Juleen and E. A. Shevey, 36–37.
Thermal-Air Cutting-Process and Economics—J. A. Browning, 453–456.
Titanium Tank Cupola, Fabrication of a—P. W. Rolston, G. D. Chandley and C. M. Adams, Jr., 128–134.

Water Cooling System for Control of Distortion in Welding, A—A. G. Sharp and J. R. Sullivan, 901–904.
Weld Overlays for Reclaiming Pulp Digesters, Crack Resistant—P. E. LeGrand and C. E. Witherell, 1107–1114.
*Weld Overlay for Chemical Reactor Permits 10% Cost Saving, 340.

* A Practical Welder and Designer article.

*Welded Aluminum Is Used for Largest Overhead Suspension Sign—JOHN F. DONNELLY, 35–36.
*Welded Steel Frames Give Column-Free Upper and Lower Decks for Stadium—WILLIAM P. DOUGLAS, 742–743.
Welding Drawn Stress-Relieved Copper-Nickel Tubes to Steel Tube Sheets—E. W. HARTSELL, JR., 541–547.
*Welding in a Print Shop—Money-Saving Ideas, 141–142.
*Welding in the Sky—LAWRENCE SCHACHT, 833–834.
Welding of One-Inch Thick Ti – 6Al – 4V Plate—J. E. STARK, L. J. BARTLO and H. G. PORTER, 805–814.
Welding Small Sub-Critical Pipe, Logical Testing Procedures for Operators—H. A. SOSNIN, 457–460.
*Welding Speeds Erection of Volkswagon Building, 142.
Welding Standardization Cuts Railroad Costs—R. L. THOMAS and F. J. GRAHAM, 238–242.
*Welding System Doubles Production, 1124.
Welding, A Water Cooling System for Control of Distortion in—A. G. SHARP and J. R. SULLIVAN, 901–904.
Weldment, Forged Cylinder Heat Retainer Replaced by "Electro-Molded"—R. L. PETERSON, 1014–1018.
Western European Techniques in Electroslag Welding—F. G. DANHIER, 17–23.
Why Welding Quality Control—KEN MILLER, 13–16.

AUTHOR INDEX

ADAMS, JR., C. M.—Fabrication of a Titanium Tank Cupola, 128–134.
ALTORFER, K. J.—Production Shape Cutting Without Templates, 649–654.
ARMSTRONG, F. W.—Magnetic-Flux Gas Shielded-Arc Welding in Boiler Fabrication, 30–34.
New Developments in Gas Shielded-Arc Welding of Boiler and Nuclear Components, 713–718.

BARTLO, L. J.—Welding on One-Inch Thick Ti-6Al-4V Plate, 805–814
BEAVER, W. W.—How to Fusion Weld Beryllium, 327–330.
*BIRONG, FRANK—Pipeline Flexes Its Muscles, 743–744.
BLODGETT, OMER W.—The Efficient Use of Steel in Multi-Story Structures, 209–218.
BROWNING, J. A.—Thermal-Air Cutting—Process and Economics, 453–456.

CARY, H. B.—Automatic "Stove-Pipe" Welding Comes to the Pipeline, 219–226.
Gas Metal-Arc Welding of Concrete Reinforcing Bars, 989–998.
CHANDLEY, G. D.—Fabrication of a Titanium Tank Cupola, 128–134.
CLINE, C. L.—Brazing Beryllium for Aerospace Applications, 1098–1106.
CRAWMER, G.—Gas Metal-Arc Welding of Concrete Reinforcing Bars, 989–998.
CULBERTSON, R. P.—High Alloys for Top Temperature Service, 441–452.
Plasma Arc Weld Surfacing, 548–555.

DANHIER, F. G.—Western European Techniques in Electroslag Welding, 17–23.
*DONNELLY, JACK F.—Con Edison Vernon Substation, 920.
*DONNELLY, JOHN F.—Welded Aluminum Is Used for Largest Overhead Suspension Sign, 35–36.
$72,000 Bending Press Returned to Service for 1% of Replacement Cost, 1125–1126.
DONNELLY, R. G.—The Brazing of Graphite, 461–469.
DORMER, G. J.—Lime Coated vs. Titania Coated Stainless Steel Electrodes, 115–126; Discussion, 126–127; Authors' Reply, 127.
*DOUGLAS, WILLIAM P.—Welded Steel Frames Give Column-Free Upper and Lower Decks for Stadium, 742–743.

ELLIOTT, B. V.—Automatic "Stove-Pipe" Welding Comes to the Pipeline, 219–226.
EVANS, DWIGHT J.—Inspection of Welds and Materials in Service, 135–139.

GORMAN, E. F.—New Developments in Gas Shielding, 728–734.
GRAHAM, F. J.—Welding Standardization Cuts Railroad Costs, 238–242.
GRANT, W. A.—Evaluation of Electronic-Monitored Resistance Welding Control, 563–567.

HANDWERK, W. B.—Automatic "Stove-Pipe" Welding Comes to the Pipeline, 219–226.
HARTSELL, JR., E. W.—Welding Drawn Stresses—Relieved Copper-Nickel Tubes to Steel Tube Sheets, 541–547.
HASLIP, L. R.—Lime Coated vs. Titania Coated Stainless Steel Electrodes, 115–126; Discussion, 126–127; Authors' Reply, 127.
HOKANSON, H. A.—Electron Beam Welding of Aircraft Materials and Components, 999–1008.
HOPKINS, P.—Hose for Oxygen Cutting Processes, 905–909.

JAHNLE, HERBERT A.—Resistance Spot Welding Beryllium Sheet, 331–336.
*JULEEN, D. J.—Thanks to Tanks, 36.

LEGRAND, P. E.—Crack-Resistant Weld Overlays for Reclaiming Pulp Digesters, 1107–1114.
*LEVERING, W. C.—Commuting in Comfort, 470–471.
LOGAN, D. J.—Multi-Welded Fuel Tank for USAF GAM-77 Missile, 311–320.

MACPHERSON, B. M.—How to Fusion Weld Beryllium, 327–330.
MCCAMPBELL, W. M.—Precision Positioning Controls for Welding Saturn Space Vehicles, 1009–1013.
*MCCARTNEY, J.—Communting in Comfort, 470–471.
MCGEENEY, WILLIAM S.—Arc Welded Design Saves $2000 on Vertical Edging Mill, 916–918.
MEIER, J. W.—Electron Beam Welding of Aircraft Materials and Components, 999–1008.
MEINCKE, E.—Hose for Oxygen Cutting Processes, 905–909.
MEREDITH, HARLAN L.—Fusion Welding of Railed Skin Panels for B-70 Triple Sonic Plane, 822–831.
MILLER, FORBES—Factors Affecting Brazed Joint Strength in High Temperature Applications, 910–915.
MILLER, KEN—Why Welding Quality Control, 13–16.

NANCE, H. N.—Precision Positioning Controls for Welding Saturn Space Vehicles, 1009–1013.
NAST, T. D.—Manufacturing and Processing of Aluminum Alloy Wire for Gas Metal-Arc Welding, 1091–1097.

O'NEILL, R. A.—Brazing Beryllium for Aerospace Applications, 1098–1106.

PATON, B. E.—Electroslag Welding of Very Thick Material, 1115–1123.
PAYNE, B. S.—Lime Coated vs. Titania Coated Stainless Steel Electrodes, 115–126.; Discussion, 126–127; Authors' Reply, 127.
PAXTON, CHARLES F.—Applying All the Rules of Resistance Welding with Automatic Control, 556–562.
PETERSON, R. L.—Forged Cylinder Heat Retainer Replaced by "Electro-Molded" Weldment, 1014–1018.
PORTER, H. G.—Welding of One-Inch Thick Ti – 6Al – 4V Plate, 805–814.
*PURCELL, WEB—Pipeline Flexes Its Muscles, 743–744.

*QUIGLEY, J. B.—Arc Welded Axle Housings, 471–474.

RICHTER, KENNETH E.—Continuous Electrode Welding in the Construction Equipment Industry, 643–648.
ROLSTON, P. W.—Fabrication of a Titanium Tank Cupola, 128–134.

SAVAGE, WARREN F.—Flash Welding—The Process and Applications, 227–237.
*SCHACHT, LAWRENCE—Welding in the Sky, 833–834.
SHARP, A. G.—A Water Cooling System for Control of Distortion in Welding, 901–904.

* A Practical Welder and Designer article.

*Shevey, E. A.—Thanks to Tanks, 36.
Slaughter, G. M.—The Brazing of Graphite, 461–469.
*Snyder, M. C.—Aluminum Pulls Out the Stops, 741.
Solomon, J. L.—New Developments in Electron Beam Welding Machines, 719–727.
Sosnin, H. A.—Logical Testing Procedures for Operators Welding Small Subcritical Pipe, 457–460.
Stark, L. E.—Welding of One-Inch Thick Ti – 6Al – 4V Plate, 805–814.
*Steir, H. C.—The Squeeze on Space, 140–141.
Stoehr, R. A.—Gas Metal-Arc Spot Welding of Aluminum, 815–821.
*Strutz, C. R.—Flame with a Past Builds for the Future, 338–339.
Sullivan, J. R.—A Water Cooling System for Control of Distortion in Welding, 901–904.

Terrill, James R.—The R-260 Alloy Bonding Process for Joining Aluminum, 799–804.
Thomas, R. L.—Welding Standardization Cuts Railroad Costs, 238–242.
*Turnbow, Tulon—Con Edison Vernon Substation, 920.
Tuthill, Roger W.—Automatic Pipe Welding, 111–114.

Vest, G. G.—A New Method of Controlled Concurrent Pipe Heating, 655–659.

Walker, W. W.—Dip Transfer Welding of High Pressure Pipe, 24–29.
*Wendel, J. A.—Aluminum Pulls Out the Stops, 741.
*Westendorf, A. J.—The Squeeze on Space, 140–141.
White, W. G.—Multi-Welded Fuel Tank for USAF GAM-77 Missile, 311–320.
Witherell, C. E.—Crack-Resistant Weld Overlays for Reclaiming Pulp Digesters, 1107–1114.
Wright, Robert R.—Standardized Pipeline Welding Procedures, 321–326.

Zeller, Richard—Applying All the Rules of Resistance Welding with Automatic Control, 556–562.
Zuchowski, R. S.—Plasma Arc Weld Surfacing, 548–555.
Zwissler, Charles A.—Development of Continuous Beam Welding Equipment Broadens Application of Fabricated Members, 735–740.

* A Practical Welder and Designer article.

WELDING RESEARCH SUPPLEMENT

SUBJECT INDEX

Age-Hardenable Super Alloys, A New Brazing Alloy for—J. F. Barker, P. R. Mobley and T. K. Redden, 409-s to 412-s.
Aging Treatment Effects on Hydrogen in Multipass Welds—P. W. Ramsey, J. J. Chyle and G. S. Wepfer, 167-s to 170-s.
Aluminized Sheet, Resistance Seam Welding of—C. W. Boecker and M. L. Begeman, 215-s to 220-s.
Aluminum Alloys, Improved Strength in Welded High Strength, Heat-Treatable—F. R. Collins, 337-s to 345-s.
Aluminum Alloys, Welding of High Strength—I. B. Robinson, F. R. Collins and J. D. Dowd, 221-s to 228-s.
Arc Welded Copper Base Filler Alloys, Flow of, on Steel—H. W. Antes, R. E. Edelman and H. Rosenthal, 207-s to 214-s.
Arc Welding, Instability of the Molten Electrode in—William M. Conn, 171-s to 174-s.
Beryllium Copper, Diffusion Bonding of, for Ultra High-Strength Joints—J. A. Hoffman, G. R. Baxter, R. C. Bertossa and B. R. Cottrell, 160-s to 166-s.
Bi-Axial Strength of Welds in Heat-Treated Sheet Steel—D. A. Corrigan, R. E. Travis, V. P. Ardito and C. M. Adams, Jr., 123-s to 128-s.
Brazed Joints, A Specimen for Evaluating—A. J. Bush, 73-s to 77-s.
Brazed Joints, Development of Ultrasonic Techniques for the Evaluation of—K. V. Cook and R. W. McClung, 404-s to 408-s.
Brazed Joints, Notes on the Strength of—J. Colbus, C. G. Keel and G. M. Blanc, 413-s to 419-s.
Brazing Alloy for Age-Hardenable Super Alloys, A New—J. F. Barker, P. R. Mobley and T. K. Redden, 409-s to 412-s.
Brazing Alloy, Copper-Gold High Temperature Creep of, in Shear—M. L. Rudee, L. E. Fischer, D. T. Pierce and R. A. Huggins, 451-s to 454-s.
Brazing Beryllium Oxide to Pyrolytic Graphite—K. K. Ikeuye and G. R. Grow, 346-s to 349-s.
Brazing, Eutectic, of Zircaloy 2 to Type 304 Stainless Steel—W. A. Owczarski, 78-s to 83-s.
Brazing High Strength Titanium Bonding by Torch Heating—Karl M. Weigert, 84-s to 88-s.
Brazing, High-Temperature, Grain-Boundary Penetration and Base Metal Erosion in—N. Bredzs and H. Schwartzbart, 129-s to 144-s.
Brazing, Hydrogen, Methane Equilibrium in—M. J. Klein and K. Kinsman, 503-s to 504-s.
Brazing of Ultra-High Strength Steel—M. J. Albom and R. E. Anderson, 97-s to 108-s.
Brittle Fracture of Carbon Steel for Pressure Vessels, the Effect of Preheat on—L. J. McGeady, 355-s to 367-s.
Charpy Test Correlations from Unusual Pipeline Failure—J. C. Kerr, 257-s to 264-s.
Concrete Units, Precast, Welding Between—A. A. Toprac and J. N. Thompson, 420-s to 427-s, 470-s to 480-s.
Copper Base Filler Alloys, Flow of Arc Welded, on Steel—H. W. Antes, R. E. Edelman and H. Rosenthal, 207-s to 214-s.
Crack Toughness Measurements, Relation of to Practical Applications—G. R. Irwin, 519-s to 528-s.
Cracking Mechanisms in HY-80 Steel Weldments—Koichi Masubuchi and D. C. Martin, 375-s to 384-s.
Cracking in T-1 Steel Weldments, Application of the Cruciform Test to a Study of—B. J. Bradstreet, 62-s to 69-s.
Cracking of and Transformation in Steels During Welding, Studies on—Henri P. Granjon, 1-s to 11-s.
Cracking in Type 347 Heat-Affected Zone During Stress

Relaxation—R. J. CHRISTOFFEL, 251-s to 256-s.
Creep-Rupture Behavior of Type 316 Stainless Steel Weldments Prepared with and Without Restraint—G. H. ROWE and J. R. STEWART, 534-s to 541-s.

Diffusion Bonding Beryllium Copper for Ultra High-Strength Joints—J. A. HOFFMAN, G. R. BAXTER, R. C. BERTOSSA and B. R. COTTRELL, 160-s to 166-s.
Diffusion Bonding High-Temperature Alloys with Beryllium—W. FEDUSKA and W. L. HORIGAN, 28-s to 35-s.
Diffusion Bonding Tungsten—M. J. ALBOM, 491-s to 502-s.

Electromagnetic Stirring and Mechanical Vibration on Arc Welds, The Effect of—D. C. BROWN, F. A. CROSSLEY, J. F. RUDY and H. SCHWARTZBART, 241-s to 250-s.
Electron Beam Weld Characteristics and Strength Data in Four Representative Materials—R. E. ROTH and N. F. BRATKOVICH, 229-s to 240-s.
Electron Beam Welding, A Study of (Part 1)—S. S. WHITE, H. J. LANDER, W. T. HESS and R. BAKISH, 279-s to 288-s.
Electron Beam Welding, A Study of (Part 2)—S. S. WHITE, H. J. LANDER, W. T. HESS and R. BAKISH, 329-s to 336-s.
End-Quench Test, Prediction of the Properties of Heavy Section Pressure Vessel Steels from—E. H. KOTTCAMP, D. A. CANONICO and R. D. STOUT, 350-s to 354-s.
Engineering and Basic Research Aspects of Neutron Embrittlement of Steels, Analysis of—W. S. PELLINI, L. E. STEELE and J. R. HAWTHORNE, 455-s to 469-s.

Fatigue—Improvement of Low-Cycle Fatigue Strength of High Strength Steel Weldments—H. W. FALL, D. L. BRUGIONI, M. D. RANDALL and R. E. MONROE, 145-s to 153-s.
Fatigue Resistance of Simulated Nozzles in Model Pressure Vessels of T-1 Steel—GEORGES WELTER and JULIEN DUBUC, 368-s to 374-s.
Fatigue Testing Resistance Spot Welds in Shear—D. S. KALBFLEISCH and E. E. WEISMANTEL, 23-s to 27-s.
Fissuring in Inconel by Regulating Process Variables, Control of—J. D. CAREY and G. F. MCKITTRICK, 529-s to 533-s.
Flash Welded APM Alloys at Elevated Temperatures, Strength of Two—F. G. NELSON and R. J. TOWNER, 89-s to 93-s.
Flash Welding—Process Variables and Weld Properties—WARREN F. SAVAGE, 109-s to 119-s.
Fracture Development and Materials Properties in PVRC Vessels 1 and 2, a Study of—E. A. LANGE and E. P. KLIER, 53-s to 61-s.
Fracture Toughness, Plane Strain, Determination of, with Sharply Notched Sheets—R. W. BOYLE, A. M. SULLIVAN and J. M. KRAFFT, 428-s to 432-s.
Friction Welded Plain Carbon and Low Alloy Steels, Properties of—THOMAS H. HAZLETT, 49-s to 52-s.
Friction Welding of Two Similar Materials in Tubular Form, Transient Temperature Distribution During—C. J. CHENG, 542-s to 550-s.
Friction Welds Between Dissimilar Metals, Properties of—THOMAS H. HAZLETT, 448-s to 450-s.

Grain-Boundary Penetration and Base Metal Erosion in High-Temperature Brazing—N. BREDZS and H. SCHWARTZBART, 129-s to 144-s.

Heat Flow in Welding and Cutting, Effect of Plate Thickness and Radiation on—PRAVIN JHAVERI, W. G. MOFFATT and C. M. ADAMS, JR., 12-s to 16-s.
High Strength Steels and Electrodes, Weld Cracking Tests of—HIROSHI KIHARA, HARUYOSHI SUZUKI and HARUMASA NAKAMURA, 36-s to 48-s.
High Strength Steel Weldments, Improvement of Low Cycle Fatigue Strength of—H. W. FALL, D. L. BRUGIONI, M. D. RANDALL and R. E. MONROE, 145-s to 153-s.
High Temperature Alloys, Diffusion Bonding with Beryllium—W. FEDUSKA and W. L. HORIGAN, 28-s to 35-s.
High Temperature Creep of a Copper-Gold Brazing Alloy in Shear—M. L. RUDEE, L. E. FISCHER, D. T. PIERCE and R. A. HUGGINS, 451-s to 454-s.
High Temperature Sheet Materials, Welding Evaluation of, by Restrained Patch Testing—S. WEISS, W. P. HUGHES, and H. J. MACKE, 17-s to 22-s.
HY-80 Steel Weldments, Mechanisms of Cracking in—KOICHI MASUBUCHI and D. C. MARTIN, 375-s to 384-s.
Hydrogen in Multipass Welds, Effect of Aging Treatments on—P. W. RAMSEY, J. J. CHYLE and G. S. WEPFER, 167-s to 170-s.
Hydrostatic and Thermal Gradient Tests of a Rectangular 9% Nickel Steel Vessel—W. R. MIDGLEY and W. R. MIKESELL, 394-s to 403-s.

Inconel, Control of Fissuring in, by Regulating Process Variables—J. D. CAREY and G. F. MCKITTRICK, 529-s to 533-s.
Instability of the Molten Electrode in Arc Welding—WILLIAM M. CONN, 171-s to 174-s.

Low Alloy Steels in Heavy Thicknesses for Welded Construction, Utilization of Quenching and Tempering for Improvement in Properties of—R. E. LORENTZ, JR., 433-s to 447-s.
Low Cycle Fatigue of Metals, Literature Review—J. T. P. YAO and W. H. MUNSE, 182-s to 192-s.
Low Cycle Fatigue Research on Full-Size Pressure Vessels—L. F. KOOISTRA and M. M. LEMCOE, 297-s to 306-s.

Mechanical Spring Analogy of a Cracked Sheet of Metal—BLAKE D. MILLS, JR., 70-s to 72-s.
Methane Equilibrium in Hydrogen Brazing—M. J. KLEIN and K. KINSMAN, 503-s to 504-s.
Microcracking and Microporosity in Ultra-high Strength Steel Weld Metal—M. D. RANDALL, R. E. MONROE and P. J. RIEPPEL, 193-s to 206-s.

Neutron Embrittlement of Steels, Analysis of Engineering and Basic Research Aspects of—W. S. PELLINI, L. E. STEELE and J. R. HAWTHORNE, 455-s to 469-s.
Nickel Base Alloys, Welding of—R. D. BEEMER and L. J. MATTEK, 267-s to 273-s.
Nickel Steel 18%, Weldability of—C. E. WITHERELL and W. A. FRAGETTA, 481-s to 486-s.
Notch Toughness, Evaluation of Plate Thickness Effects on—S. A. AGNEW and R. D. STOUT, 154-s to 159-s.

Pipeline Failure, Charpy Test Correlations from—J. G. KERR, 257-s to 264-s.
Piping for High Temperature Steam Service, Transition Joints Between Austenitic and Ferritic Steel—R. W. EMERSON, R. W. JACKSON and C. A. DAUBER, 385-s to 393-s.
Precast Concrete Units, Welding Between—A. A. TOPRAC and J. N. THOMPSON, 420-s to 427-s, 470-s to 480-s.
Preheat Effect on Brittle Fracture of Carbon Steel for Pressure Vessels—L. J. MCGEADY, 355-s to 367-s.
Pressure Vessel, 9% Nickel Steel, Hydrostatic and Thermal Gradient Tests of—W. R. MIDGLEY and W. R. MIKESELL, 394-s to 403-s.
PVRC—Vehicle for Cooperative Research—L. F. KOOISTRA, 487-s.
PVRC Vessels 1 and 2, A Study of Fracture Development and Materials Properties in—E. A. LANGE and E. P. KLIER, 53-s to 61-s.
Pressure Vessel Steels, Heavy Section, Prediction of the Properties of, from End-Quench Tests—E. H. KOTTCAMP, D. A. CANONICO and R. D. STOUT, 350-s to 354-s.
Pressure Vessels, An Experimental Investigation of Stresses in an HY-80 Marine Boiler Drum—I. BERMAN and D. H. PAI, 307-s to 321-s.

Pressure Vessels, Full-Size, Low Cycle Fatigue Research on —L. F. Kooistra and M. M. Lemcoe, 297-s to 306-s.

Quenching and Tempering for Improvement in Properties of Low Alloy Steels in Heavy Thicknesses for Welded Construction, Utilization of—R. E. Lorentz, Jr., 433-s to 447-s.

Resistance Seam Weld Evaluation by a Shear Peel Test—F. Y. Buer and M. L. Begeman, 120-s to 122-s.
Resistance Seam Welding of Aluminized Sheet—C. W. Boecker and M. L. Begeman, 215-s to 220-s.
Resistance Spot Welds, Fatigue Testing in Shear—D. S. Kalbfleisch and E. E. Weismantel, 23-s to 27-s.
Resistance Welding—The Indirect-Projection Welding of Vinyl-Coated Steel Sheets—A. W. Schueler, H. J. Nichols and D. O. Gittings, 289-s to 296-s.

Seam Welding, High Speed, of Terne Plate—F. Y. Buer and M. L. Begeman, 488-s to 490-s.
Spot and Seam Welded Aluminum Alloy Joints, Strength of—James F. Goodwin, 322-s to 328-s.
Stresses in an HY-80 Marine Boiler Drum, An Experimental Investigation of—I. Berman and D. H. Pai, 307-s to 321-s.
Stresses at Nozzles in Pressurized Cylindrical Shells—C. W. Bert and T. J. Atterbury, 265-s to 266-s.
Stress-Rupture Properties of High-Nitrogen 308L Weld Metals—Thomas J. Moore, 175-s to 181-s.

Temperature Distribution (Transient) During Friction Welding of Two Similar Materials in Tubular Form—C. J. Cheng, 542-s to 550-s.
T-1 Steel, Fatigue Resistance of Simulated Nozzles in Model Pressure Vessels of—Georges Welter and Julien Dubuc, 368-s to 374-s.
T-1 Steel Weldments, Application of the Cruciform Tests to a Study of Cracking in—B. J. Bradstreet, 62-s to 69-s.
Transformation in and Cracking of Steels During Welding, Studies on—Henri P. Granjon, 1-s to 11-s.
Transition Joints Between Austenitic and Ferritic Steel Piping for High Temperature Steam Service—R. W. Emerson, R. W. Jackson and C. A. Dauber, 385-s to 393-s.
Tungsten-Arc Welding of H-11 Steel Sheet—B. S. Blum and R. H. Witt, 274-s to 278-s.
Tungsten, Diffusion Bonding of—M. J. Albom, 491-s to 502-s.
Type 316 Stainless Steel Weldments Prepared With and Without Restraint, Creep-Rupture Behavior of—G. H. Rowe and J. R. Stewart, 534-s to 541-s.

Ultra-High Strength Steel, Brazing of—M. J. Albom and R. E. Anderson, 97-s to 108-s.
Ultra-High Strength Steel Weld Metal, Causes of Microcracking and Microporosity in—M. D. Randall, R. E. Monroe and P. J. Rieppel, 193-s to 206-s.
Ultrasonic Techniques for the Evaluation of Brazed Joints, Development of—K. V. Cook and R. W. McClung, 404-s to 408-s.

Vinyl-Coated Steel Sheets, the Indirect-Projection Welding of—A. W. Schueler, H. J. Nichols and D. O. Gittings, 289-s to 296-s.

Weld Cracking Tests of High-Strength Steels and Electrodes—Hiroshi Kihara, Haruyoshi Suzuki and Harumasa Nakamura, 36-s to 48-s.
Weldability of 18% Nickel Steel—C. E. Witherell and W. A. Fragetta, 481-s to 486-s.
Weldability—Resistance Seam Welding of Aluminized Sheet—C. W. Boecker and M. L. Begeman, 215-s to 220-s.
Weldability—Welding High Strength Aluminum Alloys—I. B. Robinson, F. R. Collins and J. D. Dowd, 221-s to 228-s.
Welding Between Precast Concrete Units—A. A. Toprac and J. N. Thompson, 420-s to 427-s.
Welding Between Precast Concrete Units—A. A. Toprac and J. N. Thompson, 470-s to 480-s.
Welding High Strength Aluminum Alloys—I. B. Robinson, F. R. Collins and J. D. Dowd, 221-s to 228-s.
Welding Nickel Base Alloys—R. D. Beemer and L. J. Mattek, 267-s to 273-s.
Welding Procedures, Studies of—W. J. Hall, W. J. Nordell and W. H. Munse, 505-s to 518-s.
Welding Research Problems—Welding Research Council, 551-s to 568-s.

AUTHOR INDEX

Adams, Jr., C. M.—The Effect of Plate Thickness and Radiation on Heat Flow in Welding and Cutting, 12-s to 16-s.
Bi-Axial Strength of Welds in Heat-Treated Sheet Steel, 123-s to 128-s.
Agnew, S. A.—Evaluation of Plate Thickness Effects on Notch Toughness, 154-s to 159-s.
Albom, M. J.—Brazing of Ultra-High Strength Steel, 97-s to 108-s.
Diffusion Bonding Tungsten, 491-s to 502-s.
Anderson, R. E.—Brazing of Ultra-High Strength Steel, 97-s to 108-s.
Antes, H. W.—Flow of Arc Welded Copper Base Filler Alloys on Steel, 207-s to 214-s.
Ardito, V. P.—Bi-Axial Strength of Welds in Heat-Treated Sheet Steel, 123-s to 128-s.
Atterbury, T. J.—Stresses at Nozzles in Pressurized Cylindrical Shells, 265-s to 266-s.

Bakish, R.—A Study of Electron Beam Welding, Part I 279-s to 288-s.
Part II, 329-s to 336-s.
Barker, J. F.—A New Brazing Alloy for Age-Hardenable Super Alloys, 409-s to 412-s.
Baxter, G. R.—Diffusion Bonding Beryllium Copper for Ultra High-Strength Joints, 160-s to 166-s.
Beemer, R. D.—Welding Nickel Base Alloys, 267-s to 273-s.
Begeman, M. L.—Evaluation of Resistance Seam Welds by a Shear Peel Test, 120-s to 122-s.
Resistance Seam Welding of Aluminized Steel, 215-s to 220-s.
High Speed Seam Welding of Terne Plate, 488-s to 490-s.
Berman, I.—An Experimental Investigation of Stresses in an HY-80 Marine Boiler Drum, 307-s to 321-s.
Bert, C. W.—Stresses at Nozzles in Pressurized Cylindrical Shells, 265-s to 266-s.
Bertossa, R. C.—Diffusion Bonding Beryllium Copper for High-Strength Joints, 160-s to 166-s.

BLANC, G. M.—Notes on the Strength of Brazed Joints, 413-s to 419-s.
BLUM, B. S.—Tungsten-Arc Welding of H-11 Steel Sheet, 274-s to 278-s.
BOECKER, C. W.—Resistance Seam Welding of Aluminized Steel, 215-s to 220-s.
BOYLE, R. W.—Determination of Plane Strain Fracture Toughness with Sharply Notched Sheets, 428-s to 432-s.
BRADSTREET, B. J.—Application of the Cruciform Test to a Study of Cracking in T-1 Steel Weldments, 62-s to 69-s.
BRATKOVICH, N. F.—Characteristics and Strength Data of Electron Beam Welds in Four Representative Materials, 229-s to 240-s.
BREDZS, N.—Grain-Boundary Penetration and Base Metal Erosion in High Temperature Brazing, 129-s to 144-s.
BROWN, D. C.—The Effect of Electromagnetic Stirring and Mechanical Vibration on Arc Welds, 241-s to 250-s.
BRUGIONI, D. L.—Improvement of Low-Cycle Fatigue Strength of High Strength Steel Weldments, 145-s to 153-s.
BUER, F. Y.—Evaluation of Resistance Seam Welds by a Shear Peel Test, 120-s to 122-s.
High Speed Seam Welding of Terne Plate, 488-s to 490-s.
BUSH, A. J.—A Specimen for Evaluating Brazed Joints, 73-s to 77-s.

CANONICO, D. A.—Prediction of the Properties of Heavy Section Pressure Vessel Steels from End-Quench Tests, 350-s to 354-s.
CAREY, J. D.—Control of Fissuring in Inconel by Regulating Process Variables, 529-s to 533-s.
CHENG, C. J.—Transient Temperature Distribution During Friction Welding of Two Similar Materials in Tubular Form, 542-s to 550-s.
CHRISTOFFEL, R. J.—Cracking in Type 347 Heat-Affected Zone During Stress Relaxation, 251-s to 256-s.
CHYLE, J. J.—The Effects of Aging Treatments on Hydrogen in Multipass Welds, 167-s to 170-s.
COLBUS, J.—Notes on the Strength of Brazed Joints, 413-s to 419-s.
COLLINS, F. R.—Welding High Strength Aluminum Alloys, 221-s to 228-s.
Improved Strengths in Welded High Strength, Heat Treatable Aluminum Alloys, 337-s to 345-s.
CONN, WILLIAM M.—An Instability of the Molten Electrode in Arc Welding, 171-s to 174-s.
COOK, K. V.—Development of Ultrasonic Techniques for the Evaluation of Brazed Joints, 404-s to 408-s.
CORRIGAN, D. A.—Bi-Axial Strength of Welds in Heat-Treated Sheet Steel, 123-s to 128-s.
COTTRELL, B. R.—Diffusion Bonding Beryllium Copper for Ultra High-Strength Joints, 160-s to 166-s.
CROSSLEY, F. A.—The Effect of Electromagnetic Stirring and Mechanical Vibration on Arc Welds, 241-s to 250-s.

D'ANTONIO, C.—Effect of Ultrasonic Agitation on Grain Size in Welds, 166-s.
DAUBER, C. A.—Transition Joints Between Austenitic and Ferritic Steel Piping for High Temperature Steam Service, 385-s to 393-s.
DOWD, J. D.—Welding High Strength Aluminum Alloys, 221-s to 228-s.
DUBUC, JULIEN—Fatigue Resistance of Simulated Nozzles in Model Pressure Vessels of T-1 Steel, 368-s to 374-s.

EDELMAN, R. E.—Flow of Arc Welded Copper Base Filler Alloys on Steel, 207-s to 214-s.
EMERSON, R. W.—Transition Joints Between Austenitic and Ferritic Steel Piping for High Temperature Steam Service, 385-s to 393-s.

FALL, H. W.—Improvement of Low Cycle Fatigue Strength of High Strength Steel Weldments, 145-s to 153-s.
FEDUSKA, W.—Diffusion Bonding High Temperature Alloys with Beryllium, 28-s to 35-s.
FISCHER, L. E.—High Temperature Creep of a Copper—Gold Brazing Alloy in Shear, 451-s to 454-s.
FRAGETTA, W. A.—Weldability of 18% Nickel Steel, 481-s to 487-s.

GITTINGS, D. O.—The Indirect-Projection Welding of Vinyl-Coated Steel Sheets, 289-s to 296-s.
GOODWIN, JAMES F.—Strength of Spot and Seam Welded Aluminum Alloy Joints, 322-s to 328-s.
GRANJON, HENRI P.—Studies on Cracking of and Transformation in Steels During Welding, 1-s to 11-s.
GROW, G. R.—Brazing Beryllium Oxide to Pyrolytic Graphite, 346-s to 349-s.

HALL, W. J.—Studies of Welding Procedures, 505-s to 518-s.
HAWTHORNE, J. R.—Analysis of Engineering and Basic Research Aspects of Neutron Embrittlement of Steels, 455-s to 469-s.
HAZLETT, THOMAS H.—Properties of Friction Welded Plain Carbon and Low Alloy Steels, 49-s to 52-s.
Properties of Friction Welds Between Dissimilar Metals, 448-s to 450-s.
HESS, W. T.—A Study of Electron Beam Welding, Part I, 279-s to 288-s.
Part II, 329-s to 336-s.
HOFFMAN, J. A.—Diffusion Bonding Beryllium Copper for Ultra High-Strength Joints, 160-s to 166-s.
HORIGAN, W. L.—Diffusion Bonding High Temperature Alloys with Beryllium, 28-s to 35-s.
HUGGINS, R. A.—High Temperature Creep of a Copper—Gold Brazing Alloy in Shear, 451-s to 454-s.
HUGHES, W. P.—Welding Evaluation of High Temperature Sheet Materials by Restrained Patch Testing, 17-s to 22-s.

IKEUYE, K. K.—Brazing Beryllium Oxide to Pyrolytic Graphite, 346-s to 349-s.
IRWIN, G. R.—Relation of Crack Toughness Measurements to Practical Applications, 519-s to 528-s.

JACKSON, R. W.—Transition Joints Between Austenitic and Ferritic Steel Piping for High Temperature Steam Service, 385-s to 393-s.
JHAVERI, PRAVIN—The Effect of Plate Thickness and Radiation on Heat Flow in Welding and Cutting, 12-s to 16-s.

KALBFLEISCH, D. S.—Fatigue Testing Resistance Spot Welds in Shear, 23-s to 27-s.
KEEL, C. G.—Notes on the Strength of Brazed Joints, 413-s to 419-s.
KERR, J. G.—Charpy Test Correlations from Unusual Pipeline Failure, 257-s to 264-s.
KIHARA, HIROSHI—Weld Cracking Tests of High Strength Steels and Electrodes, 36-s to 48-s.
KINSMAN, K.—Methane Equilibrium in Hydrogen Brazing, 503-s to 504-s.
KLEIN, M. J.—Methane Equilibrium in Hydrogen Brazing, 503-s to 504-s.
KLIER, E. P.—A Study of Fracture Development and Materials Properties in PVRC Vessels 1 and 2, 53-s to 61-s.
KOOISTRA, L. F.—Low Cycle Fatigue Research on Full-Size Pressure Vessels, 297-s to 306-s.
PVRC—Vehicle for Cooperative Research, 487-s, 502-s, 528-s.
KOTTCAMP, E. H.—Prediction of the Properties of Heavy Section Pressure Vessel Steels from End-Quench Tests, 350-s to 354-s.
KRAFFT, J. M.—Determination of Plane Strain Fracture Toughness with Sharply Notched Sheets, 428-s to 432-s.

LANDER, H. J.—A Study of Electron Beam Welding, Part I, 279-s to 288-s.
Part II, 329-s to 336-s.
LANGE, E. A.—A Study of Fracture Development and Materials Properties in PVRC Vessels 1 and 2, 53-s to 61-s.

LEMCOE, M. M.—Low Cycle Fatigue Research on Full-Size Pressure Vessels, 297-s to 306-s.
LORENTZ, JR., R. E.—Utilization of Quenching and Tempering for Improvement in Properties of Low Alloy Steels in Heavy Thicknesses for Welded Construction, 433-s to 447-s.

MACKE, H. J.—Welding Evaluation of High Temperature Sheet Materials by Restrained Patch Testing, 17-s to 22-s.
MARTIN, D. C.—Mechanisms of Cracking in HY-80 Steel Weldments, 375-s to 384-s.
MASUBUCHI, KOICHI—Mechanisms of Cracking in HY-80 Steel Weldments, 375-s to 384-s.
MATTEK, L. J.—Welding Nickel Base Alloys, 267-s to 273-s.
MCCLUNG, R. W.—Development of Ultrasonic Techniques for the Evaluation of Brazed Joints, 404-s to 408-s.
MCGEADY, L. J.—The Effect of Preheat on Brittle Fractures of Carbon Steel for Pressure Vessels, 355-s to 367-s.
MCKITTRICK, G. F.—Control of Fissuring in Inconel by Regulating Process Variables, 529-s to 533-s.
MIDGLEY, W. R.—Hydrostatic and Thermal Gradient Tests of a Rectangular 9% Nickel Steel Vessel, 394-s to 403-s.
MIKESELL, W. R.—Hydrostatic and Thermal Gradient Tests of a Rectangular 9% Nickel Steel Vessel, 394-s to 403-s.
MILLS, JR., BLAKE D.—A Mechanical Spring Analogy of a Cracked Sheet of Metal, 70-s to 72-s.
MOBLEY, P. R.—A New Brazing Alloy for Age-Hardenable Super Alloys, 409-s to 412-s.
MOFFATT, W. G.—The Effect of Plate Thickness and Radiation on Heat Flow in Welding and Cutting, 12-s to 16-s.
MONROE, R. E.—Improvement of Low-Cycle Fatigue Strength of High Strength Steel Weldments, 145-s to 153-s.
Causes of Microcracking and Microporosity in Ultra-High Strength Steel Weld Metal, 193-s to 206-s.
MOORE, THOMAS J.—Stress Rupture Properties of High Nitrogen 308L Weld Metals, 175-s to 181-s.
MUNSE, W. H.—Low-Cycle Fatigue of Metals—Literature Review, 182-s to 192-s.
Studies of Welding Procedures, 505-s to 518-s.

NAKAMURA, HARUMASA—Weld Cracking Tests of High-Strength Steels and Electrodes, 36-s to 48-s.
NELSON F. G.—Strength of Two Flash Welded APM Alloys at Elevated Temperatures, 89-s to 93-s.
NICHOLS, H. J.—The Indirect-Projection Welding of Vinyl-Coated Steel Sheets, 289-s to 296-s.
NORDELL, W. J.—Studies of Welding Procedures, 505-s to 518-s.

OWCZARSKI, W. A.—Eutectic Brazing of Zircaloy 2 to Type 304 Stainless Steel, 78-s to 83-s.

PAI, D. H.—An Experimental Investigation of Stresses in an HY-80 Marine Boiler Drum, 307-s to 321-s.
PELLINI, W. S.—Analysis of Engineering and Basic Research Aspects of Neutron Embrittlement of Steels, 455-s to 469-s.
PIERCE, D. T.—High Temperature Creep of a Copper-Gold Brazing Alloy in Shear, 451-s to 454-s.

RAMSEY, P. W.—The Effects of Aging Treatments on Hydrogen in Multipass Welds, 167-s to 170-s.
RANDALL, M. D.—Improvement of Low-Cycle Fatigue Strength of High-Strength Steel Weldments, 145-s to 153-s.
Causes of Microcracking and Microporosity in Ultra-High Strength Steel Weld Metal, 193-s to 206-s.
REDDEN, T. K.—A New Brazing Alloy for Age-Hardenable Super Alloys, 409-s to 412-s.
RIEPPEL, P. J.—Causes of Microcracking and Microporosity in Ultra-High Strength Steel Weld Metal, 193-s to 206-s.
ROBINSON, I. B.—Welding High Strength Aluminum Alloys, 221-s to 228-s.
ROSENTHAL, H.—Flow of Arc Welded Copper Base Filler Alloys on Steel, 207-s to 214-s.
ROTH, R. E.—Characteristics and Strength Data of Electron Beam Welds in Four Representative Materials, 229-s to 240-s.
ROWE, G. H.—Creep-Rupture Behavior of Type 316 Stainless Weldments Steel Prepared With and Without Restraint, 534-s to 541-s.
RUDEE, M. L.—High Temperature Creep of a Copper—Gold Brazing Alloy in Shear, 451-s to 454-s.
RUDY, J. F.—The Effect of Electromagnetic Stirring and Mechanical Vibration on Arc Welds, 241-s to 250-s.

SAVAGE, WARREN F.—Flash Welding—Process Variables and Weld Properties, 109-s to 119-s.
SCHUELER, A. W.—The Indirect-Projection Welding of Vinyl-Coated Steel Sheets, 289-s to 296-s.
SCHWARTZBART, H.—Grain-Boundary Penetration and Base Metal Erosion in High Temperature Brazing, 129-s to 144-s.
The Effect of Electromagnetic Stirring and Mechanical Vibration on Arc Welds, 241-s to 250-s.
STEELE, L. E.—Analysis of Engineering and Basic Research Aspects of Neutron Embrittlement of Steels, 455-s to 469-s.
STEWART, J. R.—Creep-Rupture Behavior of Type 316 Stainless Weldments Steel Prepared With and Without Restraint, 534-s to 541-s.
STOUT, R. D.—Evaluation of Plate Thickness Effects on Notch Toughness, 154-s to 159-s.
Prediction of the Properties of Heavy Section Pressure Vessel Steels from End-Quench Tests, 350-s to 354-s.
SULLIVAN, A. M.—Determination of Plane Strain Fracture Toughness with Sharply Notched Sheets, 428-s to 432-s.
SUZUKI, HARUYOSHI—Weld Cracking Tests of High Strength Steels and Electrodes, 36-s to 48-s.

THOMPSON, J. N.—Welding Between Precast Concrete Units, Part 1, 420-s to 427-s.
Parts 2 and 3, 470-s to 480-s.
TOPRAC, A. A.—Welding Between Precast Concrete Units, Part 1, 420-s to 427-s.
Parts 2 and 3, 470-s to 480-s.
TOWNER, R. J.—Strength of Two Flash Welded APM Alloys at Elevated Temperatures, 89-s to 93-s.
TRAVIS, R. E.—Bi-Axial Strength of Welds in Heat-Treated Sheet Steel, 123-s to 128-s.

VECCHIO, A. J.—Effect of Ultrasonic Agitation on Grain Size in Welds, 166-s.

WEIGERT, KARL M.—High Strength Titanium Bonding by Torch Heating, 84-s to 88-s.
WEISMANTEL, E. E.—Fatigue Testing Resistance Spot Welds in Shear, 23-s to 27-s.
WEISS, S.—Welding Evaluation of High Temperature Sheet Materials by Restrained Patch Testing, 17-s to 22-s.
WELTER, GEORGES—Fatigue Resistance of Simulated Nozzles in Model Pressure Vessels of T-1 Steel, 368-s to 374-s.
WEPFER, G. S.—The Effects of Aging Treatments on Hydrogen in Multipass Welds, 167-s to 170-s.
WHITE, S. S.—A Study of Electron Beam Welding, Part I, 279-s to 288-s.
Part II, 329-s to 336-s.
WITHERELL, C. E.—Weldability of 18% Nickel Steel, 481-s to 487-s.
WITT, R. H.—Tungsten-Arc Welding of H-11 Steel Sheet, 274-s to 278-s.

YAO, J. T. P.—Low Cycle Fatigue of Metals—Literature Review, 182-s to 192-s.